



TrakMats

Heavy duty ground protection / Temporary access solutions

Provides temporary access and ground protection

Protects lawns and landscapes as well as tarmac & concrete

Avoids bogged down vehicles

Avoids damage to property, heritage and eco friendly areas

Avoids Health and Safety issues

Easy to handle

Simple to lay

Temporary or semi permanent

TrakMats

Heavy duty ground protection mats

Unbreakable upto 60 tonnes, TrakMats are the world's leading ground protection and temporary access mat for moving and operating personnel, plant and equipment over soft or sensitive ground. Excavators, Barrows, Cranes, Trucks, Drilling Rigs, Diggers...



TrakMats provide efficient vehicle access with weight distribution upto 60 tonnes. The tough 12.7mm thick polyethene mats are unaffected by extreme heat or cold with the option of light colours to reflect, not absorb heat when covering sensitive areas.

TrakMats have a unique self cleaning grip surface profile designed to dispel mud whilst vehicles traverse, ensuring a highly efficient non-slip traction of vehicle, to mat and mat to ground. Optional connectors are available, increasing stability further.

The 2440mm x 1130mm panels can be laid in two parallel tracks for temporary road use, laid as one roadway 2.4m wide or laid to form parking or turning areas. They can be laid in any combination / pattern to achieve the desired access or area of protection.



AMAZINGLY TOUGH & FLEXIBLE Tough 12.7mm thick polyethylene mats weigh only 33kg and their built in handles make handling and movement easy.

TEMPORARY ROAD Laid in two parallel tracks or as one 2.4m wide track, the mats are ideal for use as temporary roadways.

ANTI SLIP SURFACE Unique grip surface profile ensures mud is dispelled whilst vehicles traverse and non-slip traction is maintained.

SEMI-PERMANENT USAGE Connection options are available for more permanent situations, steep terrain and very heavy and tracked equipment.

Features

- 2440mm x 1130 (8'x4') high density polyethylene mats weigh just 33kg
- Light enough for manual handling and laying
- Hand cutouts for easy handling and laying
- Low transport and handling costs
- No ground preparation required
- Strong yet flexible to follow contours of the underlying surface
- Unique grip surface profile designed to continuously dispel excess mud from the mats, ensuring non-slip traction is maintained
- Light colours available to reflect, not absorb heat, so safeguarding sensitive surfaces
- Unaffected by extreme heat or cold
- Range of connection options for different terrain and equipment
- Minimal maintenance, easy storage
- Weather-proof and environmentally friendly
- Standard light green, black and white - corporate colours and logos are also available
- 5 years warranty



TrakMat Applications

- Construction, civil engineering and ground work industries
- Emergency access routes
- Golf course and sports field maintenance
- Sports and leisure facilities
- National Parks
- Landscaping
- Utilities and infrastructure maintenance
- Boat regattas
- Cemeteries
- Temporary roadways and carparks
- Military sites
- Caravan parks
- Heritage sites and eco friendly areas



NON-SLIP TRACTION CYLINDERS ON ONE SIDE

With a smooth surface on the reverse these panels are ideal for use over paving, sidewalks, tarmac etc. Used smooth side down, no indentation marks are made and efficient load spread is achieved.

NON-SLIP TRACTION CYLINDERS ON BOTH SIDES

For use on soft surfaces like grass, dirt, astro-turf etc. the traction cylinders will bed into the soft surface and reduce any sliding effect whilst vehicles traverse. The uppermost traction cylinders are effective for tyre and track grip and are designed to help dispel excess mud from vehicle tyres as vehicles pass over.

	Thickness	Dimension (w x l)	Weight per sheet
TM4496 single sided	12.7mm	1130 x 2440mm	33kg
TM4496 double sided	12.7mm	1130 x 2440mm	33kg
TM2296 single sided	12.7mm	560 x 2440mm	17kg
TM2296 double sided	12.7mm	560 x 2440mm	17kg
Material	100% Recycled High Density Polyethylene (black) 100% High Density Polyethylene (light green / white)		
Colours available	Standard - light green, black and white		
Optional extras for connectivity	Neoprene connectors for longer term connection. Metal connectors for heavy and tracked equipment Metal U pins for slopes and cambers		
Environmentally Friendly	Weather proof, water resistant and unaffected by extreme heat or cold		
Customisation	Corporate colours and logos available (subject to minimum order)		
Guarantee	Warranty 5 years with a field life of 10 years		

TrakMats

**WHEN YOU'VE GOT TO GET THROUGH...
MAKE YOUR JOB EASIER & SAFER**

- Easy to install ground protection
- Fast temporary access, working areas and trackways
- Avoid property, heritage and environmental damage
- Avoid bogged down vehicles
- Avoid health and safety issues
- Save £££'s and time in reinstating ground
- Project a professional image.... and help your customers

Unbreakable upto 60 tonnes refers to the material strength of Trakmats. The weight load distribution performance of Trakmats is subject solely to ground conditions, weight and type of vehicle or plant. Trakmats Europe Ltd (TEL) always recommends that a site survey be carried out to determine weight loading and ground conditions. TEL, its agents or employees are not liable for any damage to existing ground or property through the use of Trakmats.

**TrakMats are available for hire through
our official distributors and agents
- please contact us for details**

Trakmats Europe Ltd.

**The Chestnuts, 4 Stortford Rd,
Great Dunmow, Essex CM6 1DA**

**Tel 0845 6435388
07515 851022**

**Email: sales@trakmatseurope.com
www.trakmatseurope.com**